



Valid from: Autumn 01.09.23 – 30.11.23



# Bürkle goes Bio!

Purity of disposable products and ecological sustainability perfectly combined!

- Bio-PE made of sugarcane
- Saves CO, (2.9 t/t PE) and thus reduction of the greenhouse effect
- 100% recyclable
- New: with ACT sustainability label





Bürkle GmbH Rheinauen 5 | 79415 Bad Bellingen Phone +49 7635 82795-0 Fax +49 7635 82795-31 info@buerkle.de | www.buerkle.de





















#### The compact jerrycan 5 and 10 litres

For more content on less shelf width

With a width of only 6.5 cm or 12.5 cm, this spacesaving canister is ideal for storing and filling a wide variety of liquids in a small space. The compact jerrycan can also be stored horizontally, e.g. in refrigerators.

Available with or without threaded spout or as a practical space-saving set with matching drain cock

- for perfect storage and filling when space is at a premium!
- With or without threaded connector 3/4"
- · PP, transparent
- With tamper-proof closure
- With moulded, indestructible litre graduation

	Qy	PU		Special Price/PU	Special Pr./PU from
A Compact jerrycan, without threaded connector, 5 l	Piece	1	220532201	1 PU 24.65 €	10 PU 22.10 €
Compact jerrycan, without threaded connector, 10 l	Piece	1	100453511	1 PU 30.60 €	10 PU 28.05 €
B Compact jerrycan, with threaded connector, 5 l	Piece	1	220532101	1 PU 26.35 €	10 PU 23.80 €
Compact jerrycan, with threaded connector, 10 l	Piece	1	100453521	1 PU 32.30 €	10 PU 29.75 €
Compact jerrycan & StopCock set, 5 l	Piece	1	220532205	1 PU 41.65 €	10 PU 37.40 €
Ocompact jerrycan & StopCock set, 10 l	Piece	1	100453501	1 PU 46.75 €	10 PU 42.50 €

# **Shaker KM CO<sub>2</sub>** made of stainless steel

The shaker KM CO, made of stainless steel with orbital shaking motion was especially designed for use in incubators with up to 20 % CO, concentration and up to 95 % humidity. This guarantees the optimum development of your cell cultures.

#### **Basic Equipment**

· Basic device incl. basic platform with rubber mat and external control unit



Motion	orbital
Shaking platform	200 x 295 mm
Max. load	2 kg
Shaking speed	5 – 220 rpm, in steps of 5
Stroke	20 mm
Electrical supply	100 – 240 V, 50 / 60 Hz
Enclosure protection	IP 21
CO <sub>2</sub> concentration	20 %
Heat emission	approx. 0.5 – 1.5 W
Ambient temperature	4 °C to 45 °C
Relative humidity	~ 95 % (non-condensing)
Dimensions (w x d x h)	230 x 340 x 145 mm
Weight	7.6 kg

	Ov PU			Special Price/PU	
A Miniature Shaker KM CO,	Piece	-	106166136	1884.04 €	
B Miniature Shaker KM CO <sub>2</sub> - FL	Piece		106166137	1884.04 €	
ivilliature Shaker NIVI CO2 - FL	riece	<b>T</b>	TOOT00121	1004.04 €	

Technical Data



#### **CRVpro ROTARY VANE PUMP PACKAGE**

CRVpro pump package solution – All in one kit

Discover the latest generation of two-stage rotary vane pumps. These powerful pumps features highest reliability and a long service life.

Modern and compact design enables use for a wide range of laboratory applications and process applications - freeze dryers, vacuum concentrators, Schlenk lines, glove boxes, etc.

CRVpro **Rotary Vane Pump PREMIUM package** consisting of:

- Two-stage rotary vane vacuum pump CRVpro
- Multi-range Vacuum gauge VMpro 2 Chem
- Oil mist filter AKD 16
- Vacuum valve VAV 16
- Vacuum connection components



	Qy P	PU	Special Price/PU
CRVpro 2 Premium pump package, 230V 50Hz	Piece 1	109233077	2665.14€
CRVpro 4 Premium pump package, 230V 50Hz	Piece 1	109233078	2751.14 €
CRVpro 6 Premium pump package, 230V 50Hz	Piece 1	109233079	2923.14 €

# Your vacuum technology partner for industry and laboratory

We offer you an extensive portfolio of high quality and durable vacuum products, rotary vane and diaphragm pumps as well as vacuum pump systems, accessories, measuring technology and vacuum components – all from one single source. Our vacuum experts are at your disposal to help you on site.

APPLIED VACUUM TECHNOLOGY. ASK THE EXPERTS!

www.welchvacuum.com

# ns,

## Excellence in Evaporation Hei-VAP Expert Control ML G3B XL

Precise setting of rotation speed, heating bath temperature, vacuum, and chiller temperature on the digital 5" touch display or – for quick access during an active process – directly via the knobs on the operating panel.

- G3B XL coated, implosion protected glassware with 2.200 cm<sup>2</sup> cooling surface for up to 40 % higher evaporation rates
- Extendable solvent library and ramping function
- Automatic evaporation (boiling point detection) with optional AUTOaccurate-Sensor



- Motorized lift for convenient adjustment of the immersion depth and automatic lift-up function in the event of a fault and at the end of the process
- LED ring lights
- USB / Micro SD interfaces
- Made in Germany
- 3 years warranty


with optional AUTOaccurate-Sensor				
	Qy	PU		Special Price/PU
Hei-VAP Expert Control ML G3B XL	Piece	1	104152315	4895,20€
Hei-VAP Core HL G3 EU-plug	Piece	1	104151300	2799,20€






Explore more at DWK.com





#### **ISOLAB** volumetric flask

With special coating – class "A"



- Coating reduces impact and minimizes potential risks in case of breakage
- Broken parts are kept undamaged
- $\bullet\,$  Coating keeps solutions in the flask no leakage



- Highly transparent coating
- resists up to 135 °C at max. 30 min
- Dishwasher safe and autoclavable

Many other sizes and models on request.

	Qy	PU		Special Price/PU	Special Pr./PU from
coated volumetric flask 5 ml	Pack	1 à 2 pcs.	106630011	1 PU 29.64 €	5 PU 23.40 €
coated volumetric flask 25 ml	Pack	1 à 2 pcs.	106630021	1 PU 31.98€	5 PU 25.74 €
coated volumetric flask 50 ml	Pack	1 à 2 pcs.	106630031	1 PU 39.00€	5 PU 31.20 €
coated volumetric flask 100 ml	Pack	1 à 2 pcs.	106630041	1 PU 56.16 €	5 PU 44.46 €
coated volumetric flask 250 ml	Pack	1 à 2 pcs.	106630051	1 PU 70.20 €	5 PU 56.16 €
coated volumetric flask 500 ml	Pack	1 à 2 pcs.	106630061	1 PU 95.16 €	5 PU 76.44 €



## Memmert constant climate chambers HPPeco

**Maximum energy efficiency in continuous operation.** This powerful climate chamber with Advanced Peltier Technology works around 90 % more energy efficiently than compressor-cooled devices, does not require any refrigerant and is therefore nearly maintenace-free. The temperature control from +0 °C to +70 °C as well as the active humidification and dehumidification from 10 % to 90 % rh are optimally tailored to the requirements of stability tests, durability tests as well as quality tests.



The high-precision control guarantees a homogeneous and stable distribution of temperature and humidity across various parameters. With the new micro-dosing pump and smart control, the interior is delicately and quickly humidified.

	Qy	PU		
Constant climate chamber HPPeco, 256l	Piece	1	102609260	10211.46 €
Constant climate chamber HPPeco, 384l	Piece	1	102609410	12438.58 €
Constant climate chamber HPPeco, 749l	Piece	1	102609750	13995.76 €
Constant climate chamber HPPeco, 1060l	Piece	1	102609106	18725.52 €



# trust the best



## Efficient. Homogeneous. Reliable.

IDEAL FOR Q1A ICH-COMPLIANT STABILITY TESTS, DURABILITY TESTS IN THE FIELDS OF PHARMACEUTICALS, FOOD AND COSMETICS, AS WELL AS QUALITY TESTS AND HUMIDITY-CONTROLLED STORAGE

# b.safe

# Sophisticated Safety Solutions for HPLC.





#### b.safe Caps GL45

Material: PTFE, PPS | Temperature resistance: -20 °C to +200 °C |

Chemical resistance: +++ universal

Items supplied	Qy	PU		Special Price/PU
1 x Capillary connector, 1 x Fitting: Ø 3.2 mm (yellow)	Piece	1	101714501	52.03 €
2 x Capillary connectors, 2 x Fittings: $\emptyset$ 3.2 mm (yellow), 1 x Blind fitting: (milky white)	Piece	1	101714502	58.91 €
3 x Capillary connectors, 3 x Fittings: Ø 3.2 mm (yellow), 2 x Blind fittings: (milky white)	Piece	1	101714503	61.06€



#### **b.safe Air Valves**

Material: PP | Temperature resistance: 0 °C to +110 °C |

Chemical resistance: ++ very good

Service life	Qy	PU		Special Price/PU
6 months	Piece	2	101750501	30.96 €
6 months	Piece	10	101750502	136.74 €
6 months	Piece	50	101750505	572.76 €
6 months	Piece	100	101750510	881.50 €



#### b.safe Waste Caps GL45

Material: PTFE, PPS | Temperature resistance: -20 °C to +200 °C |

 $\label{lem:chemical resistance: +++ universal} \end{substitute}$ 

Items supplied	Qy	PU		Special Price/PU
3 x Capillary connectors, 3 x Fittings: Ø 1.6 mm (green), Ø 2.2 mm (purple), Ø 3.2 mm (yellow), 2 x Blind fittings: (milky white)	Piece	1	101734501	58.48 €
2 x Capillary connectors, 2 x Fittings: Ø 1.6 mm (green), Ø 2.2 mm (purple), Ø 3.2 mm (yellow), 2 x Blind fittings: (milky white), 1 x Hose connector: Ø 5.5 to 8 mm	Piece	1	101734505	51.17€
4 x Capillary connectors, 4 x Fittings: Ø 1.6 mm (green), Ø 2.2 mm (purple), Ø 3.2 mm (yellow), 3 x Blind fittings: (milky white), 1 x Hose connector: Ø 5.5 to 8 mm	Piece	1	101734510	76.54€



#### **b.safe Abluftfilter**

Material: PP | Temperature resistance: 0 °C to +110 °C |

Chemical resistance: ++ very good

Size	Service life	Qy	PU		Special Price/PU
Small	3 months	Piece	2	101750601	68.37 €
Medium	6 months	Piece	2	101750602	110.94 €
Large	12 months	Piece	2	101750603	145.34 €



# Professional High-Performance Fluoroplastic Labware

PTFE | PFA | FEP

www.bola.de/en



#### MACHEREY-NAGEL

# Your partner for innovative and creative laboratory analytics

MN is one of the leading manufacturers of test papers worldwide and produces them exclusively in Germany.

Analysis with test papers is based on the principle of "Dip and read".

Benefit from our experience, our service and our high quality.



#### MACHEREY-NAGEL

www.mn-net.com



#### pH-Fix test strips

Reliable pH test strips with precise match

With the pH-Fix test strips from MACHEREY-NAGEL, users obtain a high-quality product. It is easy to handle and offers excellent measurement reliability over the entire pH range.

PHP is B-14P	- B	
THE RESERVE	Personal Property levels	and the same of
TAMES.		
THE RESERVE	-	
	THE RESERVE TO SERVE THE RESERVE THE RE	-
	NAME OF TAXABLE PARTY.	
国	THE RESERVE	

	Qy	PU	Special Price/PU	Special Price/PU	Special Price/PU	Special Price/PU
pH test strips, pH-Fix 0 – 14	Pack	1 á 100 pcs. <b>244692110</b>	1 PU 9.75€	10 PU 9.38 €	50 PU 9.00 €	100 PU 8.63 €
pH test strips, pH-Fix 7.0 – 14.0	Pack	1 á 100 pcs. <b>244692125</b>	1 PU 9.75€	10 PU 9.38 €	50 PU 9.00 €	100 PU 8.63 €
pH test strips, pH-Fix 4.5 – 10.0	Pack	1 á 100 pcs. <b>244692120</b>	1 PU 9.75€	10 PU 9.38 €	50 PU 9.00 €	100 PU 8.63 €
pH test strips, pH-Fix 2.0 – 9.0	Pack	1 á 100 pcs. <b>244692118</b>	1 PU 9.75 €	10 PU 9.38 €	50 PU 9.00 €	100 PU 8.63 €

#### **MACHEREY-NAGEL**

www.mn-net.com



#### LIEBHERR



#### Welcome to SmartMonitoring from Liebherr

#### Eases the burden in what is often overburdened: Your daily work.

In medicine and research, precision and safety are of the utmost priority. This also applies to storing sensitive substances. Medicines, vaccines, tissues or samples, which need refrigeration require constant and precise temperatures, non-stop monitoring and supporting documentation. The strict specifications of DIN standards on the storage of medicines place a high demand on staff in terms of time and effort.

**SmartMonitoring from Liebherr solves problems** before they happen. So you can keep a clear head for work.

#### SmartMonitoring can help ease some of that burden.

The cloud-based digital solution ensures maximum protection for sensitive substances:

- · Precise monitoring of temperature stability, available in multiple locations across several appliances
- Seamless documentation around the clock with no additional demands on time
- · All relevant data, at a glance, at any time
- Immediate alerts to deviations via e-mail, text message or phone call

home.liebherr.com/smartmonitoring

#### **LH-Pette**

#### the new variable pipettes from **Phoenix Instrument**

- · ergonomic design
- low weight
- · low effort
- UV-resistant plastic
- volume range from 0.1 µl to 10 ml
- simple, lockable volume setting
- fully autoclavable at 121 °C
- colour codable
- calibration by user is possible
- conformity according to ISO8655 DIN12650



LHPette, variable pipette	Qy	PU		Special Price/PU
LH-Pette, variable pipette, volume 0.1 to 2.5 μl, autoclavable	Piece	1	101373011	124.00 €
LH-Pette, variable pipette, volume 0.5 to 10 μl, autoclavable	Piece	1	101373015	124.00 €
LH-Pette, variable pipette, volume 2 to 20 μl, autoclavable	Piece	1	101373002	124.00 €
LH-Pette, variable pipette, volume 5 to 50 μl, autoclavable	Piece	1	101373005	124.00 €
LH-Pette, variable pipette, volume 10 to 100 μl, autoclavable	Piece	1	101373010	124.00 €
LH-Pette, variable pipette, volume 20 to 200 μl, autoclavable	Piece	1	101373020	124.00 €
LH-Pette, variable pipette, volume 30 to 300 μl, autoclavable	Piece	1	101373030	124.00 €
LH-Pette, variable pipette, volume 100 to 1000 $\mu$ l, autoclavable	Piece	1	101373101	124.00 €
LH-Pette, variable pipette, volume 1000 to 50000 $\mu$ l, autoclavable	Piece	1	101373103	124.00 €
LH-Pette, variable pipette, volume 2000 to 10000 μl, autoclavable	Piece	1	101373104	124.00 €



#### Erlenmeyer flasks, **GL 45, PP**


#### Highly transparent

Well suited for storage and cultivation of cell cultures. Far safer than glass flasks for use in incubator shakers due to the break resistance of plastic. Suitable for microwaves. To preserve markings, cleaning at no higher than 60 °C is recommended.



regulation (EU) No. 10/2011.

VITLAB





#### **Laboratory Refrigerators with Comfort Electronics**

All units have a self-closing door with integrated lock, integrated data memory with min./max. temperatures, floating contact, RS485 interface, feedthrough for external temperature sensor and a safety temperature limiter (in fridges, prevents temperatures below +2 °C in case of failure), acoustic and optical temperature and door opening alarms. The program portfolio comprises 2 free-standing and 2 under-worktop laboratory fridges, each with insulation and glass door, temperature range adjustable from +3 to +16 °C. The dynamic cooling system ensures high temperature constancy and an even temperature distribution.

	Gross volume I	Tempera- ture range °C	Outer dimensions W x D x H mm	Qy	PU		
LKUv 1610-25	141	+3 to +16	600 x 615 x 850	Piece	1	104561610	1199.25 €*
LKUv 1613-23 <sup>1)</sup>	141	+3 to +16	600 x 615 x 850	Piece	1	104561613	1319.25 €*
SRFvh 4001-20	394	+3 to +16	597 x 654 x 1884	Piece	1	104554001	2174.25 €*
SRFvh 4011-20 <sup>1)</sup>	420	+3 to +16	597 x 654 x 1884	Piece	1	104554011	2324.25 €*

<sup>1)</sup> with glass door and switchable LED lighting

\*plus freight costs





#### **Explosion-proofed Laboratory Refrigeraters** and Freezers with Comfort Electronics

Designed specifically for storage of explosive and highly flammable substances, for example in chemical industry, the laboratory range comprises units with explosion-proofed interior in compliance with the safety requirements of EU Directive 94/9/EC (ATEX95); they have been approved by the ATEX Conformity Assessment Institution electro-suisse - SEV.

	Gross volume I	Tempera- ture range °C	Outer dimensions W x D x H mm	Qy	PU		
LKUexv 1610-25	141	+3 to +16	600 x 615 x 850	Piece	1	104561611	1244.25 €*
SRFfg 4001-20	394	+3 to +16	597 x 654 x 1884	Piece	1	104574001	1776.75 €*
LCexv 4010-24	361	-9 to -26 +3 to +16	600 x 615 x 2003	Piece	1	104564011	2174.25 €*
LGUex 1500-24	139	-9 to -26	600 x 615 x 850	Piece	1	104561500	1296.75 €*
SFFfg 4001-20	316	-9 to -30	597 x 654 x 1884	Piece	1	104584001	1971.75 €*

\*plus freight costs

#### Ultra-low freezers with most modern cooling technology

Temperature range

-40 to -86

-40 to -86

Gross

491

728

SUFsg 5001-70

SUFsg 7001-70

volume

Most modern cooling technology with climate-neutral refrigerants and lowest energy consumption. Interior, shelves as well as interior doors are made of stainless steel and therefore easy to clean. Interfaces for connection to documentation and monitoring systems such as LIEBHERR-SmartMonitoring.

Outer

dimensions

W x D x H mm

920 x 1082 x 1966

1204 x 1082 x 1966

Qy

Piece






104597001

Special Price valid until 31.12.23!

\*plus freight costs

11549.25 €\*





- + Easy: Minimum operating forces, maximum comfort.
- + Efficient: Reliable in challenging continuous operation and with aggressive media.





## Dispensette® S

Safe and efficient dispensing directly from the bottle

BRAND. For lab. For life.®

BRAND GMBH + CO KG | P.O. Box 1155 | 97877 Wertheim | Germany | www.brand.de

Order now at a special price!

#### Dispensette® S and Dispensette® S Organic, analog-adjustable,

#### with recirculation valve

Whether you are dispensing solvents, acids, alkalis or saline solutions – the bottle-top dispensers from BRAND make it easy, safe and efficient.
With both the Dispensette® S and Dispensette® S Organic, you will always have the right dispenser at hand for a wide range of media. Do you dispense long series, sterile applications or moisture-sensitive media? With numerous accessory options, the Dispensette® S also offers efficient solutions for special applications.

- + Analog-adjustable Models
- + Rapid and safe volume setting with new internal scalloped track
- + Simple calibration adjustment with a supplied tool
- + DE-M marked



Dispensette® S, analog-adjustable, with recirculation valve	Qy	PU		Special Price/PU
0.1 to 1 ml	Piece	1	104946101	305.10 €
0.2 to 2 ml	Piece	1	104946121	305.10 €
0.5 to 5 ml	Piece	1	104946131	305.10 €
1 to 10 ml	Piece	1	104946141	305.10 €
2.5 to 25 ml	Piece	1	104946151	389.70 €
5 to 50 ml	Piece	1	104946161	418.50 €
10 to 100 ml	Piece	1	104946171	563.40 €
Dispensette® S Organic, analog-adjustable, with recirculation valve				
0.5 to 5 ml	Piece	1	104943131	305.10 €
1 to 10 ml	Piece	1	104943141	305.10 €
2.5 to 25 ml	Piece	1	104943151	389.70 €
5 to 50 ml	Piece	1	104943161	418.50 €
10 to 100 ml	Piece	1	104943171	563.40 €

#### LabHEAT® standard heating mantles series KM-G



Special Price/PU

208.78€

217.54 €

213.89€

216.81€

222.65 €

249.66 €

294.92 €

340.18€

368.65 €

456.98 €

510.27 €

670.87 €

987.69€

In chemical and biotechnical laboratories these heating mantles belong to the standard equipment because many reactions in this areas are temperature dependent. All heating mantles and also accessoires such as tripod, support ring or regulators are on stock. Special versions for other specifications, voltages or power and for temperatures up to 900 °C available on request.

- For operating temperatures up to 450 °C
- Flexible glass yarn heating element
- An even heat transfer and a gentle treatment of the glass flask
- High quality design, traditionell made by hand work
- · Thermally insulated and earthed
- Sizes from 500 ml with  $\emptyset$  60 mm bottom hole
- Standard with four mounting hooks
- With heating-zone switchand residual current detection (RCD)



Heating

Qy

Power

Volume

\*also available with 4 heating zones

PU

Labi



## Compact, powerful and environmentally friendly Refrigerated / heating circulators of the CORIO series



The **CORIO 310F**, **450F** and **449F** chillers use natural, environmentally friendly refrigerant and have also been developed with a focus on energy efficiency. This leads to significant operating cost savings in many application scenarios and thus to a faster pay-

back of the initial costs. At the same time, the lower energy consumption makes a positive contribution to climate protection.



	Qy	PU		Special Price/PU
CORIO CD-310F Refrigerated / heating circulator with natural refrigerant	Piece	1	103597131	3599.10 €
CORIO CD-450F Refrigerated / heating circulator with natural refrigerant	Piece	1	103597141	3999.60 €
CORIO CD-449F Refrigerated / heating circulator with natural refrigerant	Piece	1	103597161	4799.70 €



**KERN & SOHN GmbH**  $\cdot$  Ziegelei  $1 \cdot 72336$  Balingen  $\cdot$  Deutschland

Tel. +49 7433 9933-0 · www.kern-sohn.com



Moisture analyser	Weighing range (Max)	Read out (d)	Reproducibility	Linearity	Qy	PU		Special Price/PU
DBS 60-3	60 g	0.001 g	0.001 g	± 0.003 g	Piece	1	105835603	1236.75€
School balance	Weighing range (Max)	Read out (d)	Reproducibility	Linearity				
EFS 500-2	500 g	0.01 g	0.01 g	± 0.03 g	Piece	1	105850020	86,25€
EFS 600-1S05	620 g	0.1 g	0.1 g	± 0.3 g	Pack	1 á 5 pcs.	105860010	146,25 €
EFS 2000-0S05	2200 g	1 g	1 g	± 3 g	Pack	1 á 5 pcs.	105820000	149.25€
Analytical balance	Weighing range (Max)	Read out (d)	Reproducibility	Linearity				
ABT 120-4NM	120 g	0.0001 g	0.0001 g	± 0.0002 g	Piece	1	105836124	1349.25 €
ABT 220-4NM	220 g	0.0001 g	0.0001 g	± 0.0002 g	Piece	1	105836224	1649.25 €
ABT 120-5DNM	42 g; 120 g	0.00001 g; 0.0001 g	0.00002 g; 0.0001 g	± 0.00005 g; 0.0002 g	Piece	1	105836125	1799.25 €
ABT 220-5DNM	82 g; 220 g	0.00001 g; 0.0001 g	0.00005 g; 0.0001 g	± 0.0001 g; 0.0002 g	Piece	1	105836225	1874.25 €



# **Do more with OHAUS**

# Professional Balances and Lab Equipment

- ✓ premium quality
- ✓ on stock, fast delivery
- ✓ unbeatable price/performance



**Cost-effective Hot Plate Stirrers:** high security and stirring performance, fast heating



Mini Centrifuge:
powerful, simple, secure.
Accessories increase flexibility



robust, flexible, several models for perfect mixing

Mini Centrifuge	Speed rpm	Accesories	Security	Dimension cm	Qy	PU		Special Price/PU
FC5306	6000	2 rotors, 2 adapters	2 contact switches	15 x 17 x 13	Piece	1	109704156	173.47 €
Vortex-Mixer	Speed rpm	Orbit mm	Speciality	Dimension cm				
Vortex-Mixer fixed speed	500 to 2500	4.9	high robust drive	21 × 12 × 17	Piece	1	109702110	153.55€
Analogue Vortex Mixer	500 to 2500	4.9	high robust drive	21 × 12 × 17	Piece	1	109702117	198.37 €
Digital Vortex Mixer	500 to 2500	4.9	high robust drive	21 × 12 × 17	Piece	1	109702124	297.97 €
Eco-Hotplate Stirrer	Speed rpm	Capacity I	Temperature max.	Plate dimension cm				
Magnetic Stirrer Guardian 2000	200 to 1600	15	_	round, Ø 13.5	Piece	1	109700275	281.37 €
Hotplate Stirrer Guardian 2000	200 to 1600	15	380 °C	round Ø 13.5	Piece	1	109700269	264.77 €
Digital Hotplate Stirrer	Speed rpm	Capacity I	Temperature max.	Plate dimension cm				
Guardian 3000	80 to1600	15	380 °C	round, Ø 13.5	Piece	1	109700278	364.37 €
Guardian 3000	80 to 1600	15	500 °C	17.8 × 17.8	Piece	1	109700280	380.97€
Guardian 3000	80 to 1600	15	500 °C	10.2 × 10.2	Piece	1	109700279	397.57 €



#### **Glasatelier Saillart BV**

Bevrijdingslaan 200a, 2450 Meerhout Phone +32 (0) 14560221, Fax +32 (0) 14591143 info@glasatelier-saillart.be, shop.glasatelier-saillart.be